

The National FFA Ag Sales Committee has selected the following products to sell for the 2013 Ag Sales CDE:

Performance Series Sweet Corn

Temptation II
Obsession II
Passion II

Sweet Corn

Temptation
Obsession
Passion

Related Products:

Roundup PowerMax
Roundup WeatherMax

	<u>Price/1000 seeds</u>		
<u>Hybrid</u>	<u>Wholesale</u>	<u>Retail</u>	<u>Minimum Quantity</u>
Temptation	\$ 6.95	\$ 8.95	1000
Temptation II	\$ 9.95	\$ 11.95	25000
Obsession	\$ 9.35	\$ 11.35	1000
Obsession II	\$ 11.75	\$ 13.75	25000
Passion	\$ 9.35	\$ 11.34	1000
Passion II	\$ 11.75	\$ 13.75	25000
	<u>Per Gallon</u>		
Roundup Power Max	\$ 22.55	\$ 24.35	
Roundup Weather Max	\$ 29.90	\$ 35.22	

Product Info:

<http://www.seminis.com/global/us/products/Pages/SweetCornObsessionII.aspx> – Obsession II

<http://www.seminis.com/global/us/products/Pages/SweetCornPassionII.aspx> – Passion II

<http://www.seminis.com/global/us/products/Pages/SweetCornTemptationII.aspx> – Temptation II

<http://www.seminis.com/global/us/products/Pages/SweetCornObsession.aspx> - Obsession

<http://www.seminis.com/global/us/products/Pages/SweetCornPassion.aspx> – Passion

<http://www.seminis.com/global/us/products/Pages/SweetCornTemptation.aspx> – Temptation

<http://www.roundupreadyplus.com/pages/products.aspx> – Products & Incentives

[http://www.seminis.com/global/us/products/Documents/SEM-12082%20Performance%20Series%20SS-
Generic.pdf](http://www.seminis.com/global/us/products/Documents/SEM-12082%20Performance%20Series%20SS-
Generic.pdf) – Seed Innovation

<http://www.siegers.com/pdfs/PerformanceSeries.pdf> - 2013 Tug U.S. Technology Use Guide

Additional info 2 pdf files

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP WEATHERMAX® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Roundup WeatherMAX Herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.



EPA Reg. No. 524-537

Roundup WeatherMAX, Roundup WeatherMAX and Design, Roundup Ready and Transorb and Design® are registered trademarks of Monsanto Technology LLC.

USE IN ROUNDUP READY® SWEET CORN

Keep out of reach of children
CAUTION!

In case of an emergency involving this product, call collect, day or night, 314-694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of herbicide application.

ROUNDUP READY CROPS CONTAIN A PATENTED GENE THAT PROVIDES TOLERANCE TO GLYPHOSATE, THE ACTIVE INGREDIENT IN THIS PRODUCT. THIS PRODUCT WILL CAUSE SEVERE CROP INJURY OR DESTRUCTION AND YIELD LOSS IF APPLIED TO CROPS THAT ARE NOT GLYPHOSATE TOLERANT. AVOID CONTACT WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, OR ANY DESIRABLE PLANTS THAT DO NOT CONTAIN A GLYPHOSATE TOLERANCE GENE, AS SEVERE PLANT INJURY OR DESTRUCTION MAY RESULT.

See the "GENERAL INFORMATION", "MIXING" and "ROUNDUP READY CROPS" sections of the label booklet for Roundup WeatherMAX herbicide for essential product information.

TYPES OF APPLICATION: Preplant, At-Planting, Preemergence, Postemergence (In-crop)

USE INSTRUCTIONS: Refer to the following table for maximum application rates of this product to Roundup Ready sweet corn.

Maximum Application Rates	
Combined total per year for all applications	5.3 quarts per acre
Total of all Preplant, At-Planting, Preemergence applications	3.3 quarts per acre
Total of all In-crop applications from emergence through 48-inch sweet corn	4.1 quarts per acre (44 fluid ounces per acre per application)

PRECAUTIONS, RESTRICTIONS: See the "ROUNDUP READY CROPS" section of the Roundup WeatherMAX herbicide label for precautionary instructions for use in Roundup Ready crops. The maximum combined total amount of this product that may be applied per year is 5.3 quarts per acre. See the "GENERAL INFORMATION" section of the Roundup WeatherMAX herbicide label for information on Maximum Application Rates. **The use of the in-crop (over-the-top) rates described in these instructions on other than Roundup Ready sweet corn may cause crop injury and reduced yields.**

Preplant, At-Planting, Preemergence

USE INSTRUCTIONS: Apply alone or in a tank mixture before, during or after planting.

TANK MIXTURES: This product may be tank-mixed with the products listed below. Ensure that the specific product being used is labeled for application prior to emergence of sweet corn. Read and follow label directions for all products in the tank mixture. Apply these tank mixtures in 10 to 20 gallons of water, or 10 to 60 gallons of nitrogen solution, per acre.

Bullet®, Lariat®, alachlor, Degree®, Degree Xtra®, Harness®, Harness Xtra®, Harness Xtra 5.6L®, Outlook, FulTime, Keystone, Keystone LA, TopNotch, acetochlor, Bicep II MAGNUM, Bicep Lite II MAGNUM, metolachlor, Aim EC, atrazine, Guardsman MAX

PRECAUTIONS, RESTRICTIONS: Maximum quantity of this product that may be applied for all preplant, at-planting and preemergence applications combined is 3.3 quarts per acre per season. Refer to individual tank-mix product label for restrictions and precautions; use according to the most restrictive precautionary statements for each product in the tank mixture.

NOTE: For maximum weed control, apply postemergence (in-crop) following the use of the preemergence residual products listed above.

Postemergence (In-crop)

USE INSTRUCTIONS: Apply alone or in a tank mixture over the top of Roundup Ready sweet corn from emergence through the V8 stage (8 leaves with collars), or until sweet corn height reaches 30 inches (free standing), whichever comes first. Use of drop nozzles is desirable for optimum spray coverage and weed control when sweet corn height is 24 to 30 inches. For sweet corn heights 30 to 48 inches (free standing), avoid spraying if the crop has reached the reproductive stage and apply this product using **only** ground application equipped with drop nozzles aligned to avoid spraying into the whorls of the sweet corn plants. Single in-crop application of this product up to 48-inch corn must not exceed 44 fluid ounces per acre. Sequential in-crop application of this product from emergence through 48 inches in height must not exceed 4.1 quarts per acre per growing season.

When applied as directed, this product will control annual grasses and broadleaf weeds listed on this label. Many perennial grasses and broadleaf weeds will be controlled or suppressed with one or more application of this product. Apply postemergence 16 to 22 fluid ounces of this product per acre before weeds exceed 4 inches in height, or, before they become competitive with the crop. If new flushes of weeds occur, a sequential application of this product at 16 to 22 fluid ounces per acre can be made before weeds exceed 4 inches in height.

TANK MIXTURES: This product may be tank-mixed with the following products. Ensure that the specific product being used is labeled for application postemergence (in-crop) to sweet corn. Read and follow label directions of all products in the tank mixture.

Aim EC, Impact, Option, atrazine

Tank-mix Partner	Maximum Height Of Corn At Application
atrazine	12 inches

PRECAUTIONS, RESTRICTIONS: Allow a minimum of 10 days between in-crop applications of this product. Allow a minimum of 30 days between application of this product and harvest of sweet corn forage or grain. Refer to individual tank-mix product label for restrictions and precautions; use according to the most restrictive precautionary statements for each product in the tank mixture.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup WeatherMAX Herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

Bullet, Lariat, Degree, Degree Xtra, Harness, Harness Xtra and Harness Xtra 5.6L are registered trademarks of Monsanto Technology LLC. All other trademarks are the property of their respective owners.

MONSANTO COMPANY
800 N. LINDBERGH BLVD.
ST. LOUIS, MISSOURI 63167 USA
©2011

03/29/2011

63003J1-80

This supplemental label expires on March 30, 2014 and must not be used or distributed after this date.

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP POWERMAX® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Roundup PowerMAX Herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.



EPA Reg. No. 524-549

Roundup PowerMAX® and Roundup Ready® are registered trademarks of Monsanto Technology LLC.

USE IN ROUNDUP READY® SWEET CORN

Keep out of reach of children

CAUTION!

In case of an emergency involving this product, call collect, day or night, 314-694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of herbicide application.

ROUNDUP READY CROPS CONTAIN A PATENTED GENE THAT PROVIDES TOLERANCE TO GLYPHOSATE, THE ACTIVE INGREDIENT IN THIS PRODUCT. THIS PRODUCT WILL CAUSE SEVERE CROP INJURY OR DESTRUCTION AND YIELD LOSS IF APPLIED TO CROPS THAT ARE NOT GLYPHOSATE TOLERANT. AVOID CONTACT WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, OR ANY DESIRABLE PLANTS THAT DO NOT CONTAIN A GLYPHOSATE TOLERANCE GENE, AS SEVERE PLANT INJURY OR DESTRUCTION MAY RESULT.

See the "GENERAL INFORMATION", "MIXING" and "ROUNDUP READY CROPS" sections of the label booklet for Roundup PowerMAX herbicide for essential product information.

TYPES OF APPLICATION: Preplant, At-Planting, Preemergence, Postemergence (In-crop)

USE INSTRUCTIONS: Refer to the following table for maximum application rates of this product to Roundup Ready sweet corn.

Maximum Application Rates	
Combined total per year for all applications	5.3 quarts per acre
Total of all Preplant, At-Planting, Preemergence applications	3.3 quarts per acre
Total of all In-crop applications from emergence through 48-inch sweet corn	4.1 quarts per acre (44 fluid ounces per acre per application)

PRECAUTIONS, RESTRICTIONS: See the "ROUNDUP READY CROPS" section of the Roundup PowerMAX herbicide label for precautionary instructions for use in Roundup Ready crops. The maximum combined total amount of this product that may be applied per year is 5.3 quarts per acre. See the "GENERAL INFORMATION" section of the Roundup PowerMAX herbicide label for information on Maximum Application Rates. **The use of the in-crop (over-the-top) rates described in these instructions on other than Roundup Ready sweet corn may cause crop injury and reduced yields.**

Preplant, At-Planting, Preemergence

USE INSTRUCTIONS: Apply alone or in a tank mixture before, during or after planting.

TANK MIXTURES: This product may be tank-mixed with the products listed below. Ensure that the specific product being used is labeled for application prior to emergence of sweet corn. Read and follow label directions for all products in the tank mixture. Apply these tank mixtures in 10 to 20 gallons of water, or 10 to 60 gallons of nitrogen solution, per acre.

Bullet[®], Lariat[®], alachlor, Degree[®], Degree Xtra[®], Harness[®], Harness Xtra[®], Harness Xtra 5.6L[®], Outlook, FulTime, Keystone, Keystone LA, TopNotch, acetochlor, Bicep II MAGNUM, Bicep Lite II MAGNUM, metolachlor, Aim EC, atrazine, Guardsman MAX

PRECAUTIONS, RESTRICTIONS: Maximum quantity of this product that may be applied for all preplant, at-planting and preemergence applications combined is 3.3 quarts per acre per season. Refer to individual tank-mix product label for restrictions and precautions; use according to the most restrictive precautionary statements for each product in the tank mixture.

NOTE: For maximum weed control, apply postemergence (in-crop) following the use of the preemergence residual products listed above.

Postemergence (In-crop)

USE INSTRUCTIONS: Apply alone or in a tank mixture over the top of Roundup Ready sweet corn from emergence through the V8 stage (8 leaves with collars), or until sweet corn height reaches 30 inches (free standing), whichever comes first. Use of drop nozzles is desirable for optimum spray coverage and weed control when sweet corn height is 24 to 30 inches. For sweet corn heights 30 to 48 inches (free standing), avoid spraying if the crop has reached the reproductive stage and apply this product using **only** ground application equipped with drop nozzles aligned to avoid spraying into the whorls of the sweet corn plants. Single in-crop application of this product up to 48-inch corn must not exceed 44 fluid ounces per acre. Sequential in-crop application of this product from emergence through 48 inches in height must not exceed 4.1 quarts per acre per growing season.

When applied as directed, this product will control annual grasses and broadleaf weeds listed on this label. Many perennial grasses and broadleaf weeds will be controlled or suppressed with one or more application of this product. Apply postemergence 16 to 22 fluid ounces of this product per acre before weeds exceed 4 inches in height, or, before they become competitive with the crop. If new flushes of weeds occur, a sequential application of this product at 16 to 22 fluid ounces per acre can be made before weeds exceed 4 inches in height.

TANK MIXTURES: This product may be tank-mixed with the following products. Ensure that the specific product being used is labeled for application postemergence (in-crop) to sweet corn. Read and follow label directions of all products in the tank mixture.

Aim EC, Impact, Option, atrazine

Tank-mix Partner	Maximum Height Of Corn At Application
atrazine	12 inches

PRECAUTIONS, RESTRICTIONS: Allow a minimum of 10 days between in-crop applications of this product. Allow a minimum of 30 days between application of this product and harvest of sweet corn forage or grain. Refer to individual tank-mix product label for restrictions and precautions; use according to the most restrictive precautionary statements for each product in the tank mixture.

Read the "Limit of Warranty and Liability" in the label booklet for Roundup PowerMAX Herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

Bullet, Lariat, Degree, Degree Xtra, Harness, Harness Xtra and Harness Xtra 5.6L are registered trademarks of Monsanto Technology LLC. All other trademarks are the property of their respective owners.

MONSANTO COMPANY
800 N. LINDBERGH BLVD.
ST. LOUIS, MISSOURI 63167 USA
©2011

03/29/2011

63027J1-41

This supplemental label expires on March 30, 2014 and must not be used or distributed after this date.